

NEW CITYTRAK

TURN TO US FOR

Unrivalled manoeuvrability



**HILLEND
ENGINEERING**

FARID | ZOELLER GROUP

Our new CITYTRAK is perfect for waste collection in the UK's urban streets. A short wheelbase and no unnecessary overhang means unrivalled manoeuvrability, with excellent wall-to-wall and kerb-to-kerb turning, even where parked cars and narrow bending roads create the most challenging environments.

CITYTRAK also provides great operational performance, with a combination of faster hopper cycles, quieter hydraulics for inner city operation, and high-capacity

body with optimum weight distribution, it's an impressive new addition to our fleet and ideal for your household waste collection needs.



KEY FEATURES

Max payload: 11T (approx)

Body capacity: 18-30m³

Chassis: 18-26T

Max compacting ratio: 6:1

Cycle time: 14-16 sec

Compatible with a range of bin lifts



ADDITIONAL FEATURES

- » Ultra short rear overhang for optimum manoeuvrability
- » Fast cycle time for enhanced productivity
- » Built with high wear steel for optimum durability
- » Quiet hydraulics for inner city operation
- » 24 month warranty as standard for peace of mind

CITYTRAK manages tight spaces and tight turnarounds

Find out more about **CITYTRAK**, or book a demonstration vehicle, contact us today on **+44 (0)1383 823 625** or email **salesinfo@hillendeng.com**



**HILLEND
ENGINEERING**
FARID | ZOELLER GROUP

TECHNICAL INFORMATION

Body external dimensions: L 4,744mm / W 1,800mm / H 3568mm (standard) 3768mm (H series)
Maximum working pressure: 185 bar
Engine revs during working phases: 1,000 rpm
Refuse loading speed: 1.5 m³/min
Full body unloading time: 35 seconds
Body unloading system: Tipping
Equipment working system: Hydraulic

HYDRAULIC SYSTEM

Low engine revs (speed controlled by hydraulic services)
PTO mounted on the gearbox – 1 x gear pumps
Oil tank with filter, cartridge 60 micron, in compliance with UNI EN 1501-1
Max. pressure valves on hydraulic system
Block pilot valves on lifting device cylinders
Mineral hydraulic oil ISO VG46
Equipment working system: Hydraulic

ELECTRICAL SYSTEM

Electrical system with PLC - Including system diagnostics via cab screen
Body unloading electrical controls
Engaged reverse speed alarm
3 x emergency buttons (2 on body sides, 1 in cab)
Rescue button
PTO connection safety controls
PTO engagement/disengagement electrical control
In cab control box: PTO connection – main switch – light alarms and other control buttons on demand
1 x operator-driver buzzer, on side of body
Rear view camera

FINISHING

Shot blasted, primed and finished in 2 pack paint
Lighting in compliance with current regulations

ADDITIONAL BENEFITS

Selectable waste fractions, to suit a wide range of applications and optimise compaction pressures
Laser distance measurement of the ejection plate



Find out more about **CITYTRAK**, or book a demonstration vehicle, contact us today on **+44 (0)1383 823 625** or email **salesinfo@hillendeng.com**